

Critical & Community Facility Vulnerability Assessment 2018 of Boscawen

Work Session 2
12/18/2017

How many parcels are within the Town:	1,641
Net Valuation of Buildings and Land, 2017	\$234,958,202
Total Structure ONLY Value of ALL Structures:	\$159,618,200
Total Value of ALL Utilities in Town:	\$6,739,900

Source of data for each row: Avitar Boscawen Parcel Count

USE Hazard Risk Assessment Natural Hazards (not Secondary Hazards) <i>*not natural but associated with Floods/Winds</i>	
❖ FLOOD [Floods and Flash Floods, Rapid Snow Pack Melt]	
❖ ICE JAM [River Ice Jams]	
❖ SCOURING, EROSION [Riverine Scouring, Erosion, Channel Movement]	
❖ WIND [Tornadoes, Downbursts, Hurricanes and Tropical Storms]	
❖ STORMS [Severe Winds, Rain Storms and Thunder Storms]	
❖ LIGHTNING	
❖ WILDFIRE	
❖ WINTER [Severe Winter Weather and Ice Storms]	
❖ DROUGHT	
❖ HEAT [Excessive Heat]	
❖ EARTHQUAKE	
❖ LANDSLIDE	
❖ Dam Failure* or DEBRIS [Debris Impacted Infrastructure]*	
USE Other Hazards if Necessary:	
❖ HAZARDOUS MATERIALS	
❖ PUBLIC HEALTH	
❖ SABOTAGE, VANDALISM, CIVIL DISTURBANCE, HOSTAGE	

TASK:	RETURN EXCEL FILE to SA by 12-31-17 @ salexander@cnbrpc.org
Some of the items we need to complete the Tables need to be done outside of Haz Mit meetings by Committee	
1. Review each Table to make sure each Facility still exists as listed and then add/delete/revise Facilities as needed.	
2. Ensure Street Address & Phone are accurate and added for the new and revised Facilities.	
3. Add the "NEW" Structure Replacement Value from Town assessments for each Facility. Some will require land value instead.	
4. Update the Primary Natural Hazard Vulnerability column with natural hazards only from the Hazard Risk Assessment.	
5. Identify at least 1-2 problems noted with the facilities in each Table (Problem Statements).	
6. Fill in the Town data in rows 5-6-7-8: # of parcels, different Total Valuation \$ amounts.	
Highlight your changes in yellow OR change the font color from black to another color (like red) so revisions can be copied into the master document held by Stephanie.	

Goal: List each Critical or Vulnerable Facility in only 1 Table, choose the most Table applicable for the Facility. Each Facility will be placed on Map 3 Critical Facilities with HMC help.	KELLEE: For the 4 Tables already completed, please note the green highlighted cells where Town info is still needed. Thank you!
	Essential Facilities Utilities Shelters, Schools and Medical Facilities Vulnerable Populations

**HMC Begin on Page 4 at Vulnerable Populations.
We need to finish your review & update TODAY at WS2.**

Table
Essential Facilities
Town to insert Value \$ from assessing software

Facility Name	Street Address (911)	Phone	Structure Replacement Value \$	Primary Natural Hazard Vulnerabilities
Municipal Building	116 North Main Street	753-9188	\$2,457,000	Flood, Wind, Lightning, Earthquake, Public Health, Sabotage, Human
Police Department	116 North Main Street	753-9124	N/A	Flood, Wind, Lightning, Earthquake, Hazardous Materials, Public Health, Sabotage, Human
Emergency Management Office	116 North Main Street	753-9188	N/A	Flood, Wind, Lightning, Earthquake, Hazardous Materials, Public Health, Sabotage, Human
Fire Department	15 High Street	796-2414	\$0	Flood, Wind, Lightning, Wildfire, Earthquake, Public Health, Sabotage, Human
Public Works	13 Woodbury Lane	796-2207	\$0	Flood, Wind, Lightning, Earthquake, Hazardous Materials, Public Health, Sabotage, Human
Penacook Rescue	1 Oak Street	753-1142	\$263,000	Flood, Wind, Lightning, Earthquake, Public Health, Sabotage, Human
Penacook-Boscawen Water Precinct	9 Woodbury Lane	796-2206	\$0	Flood, Lightning, Earthquake, Dam Failure, Hazardous Materials, Public Health, Sabotage, Debris
			\$0	
			\$2,720,000	Total Facilities Structure Only Replacement Value

Problem Statement:
Problem Statement:
Problem Statement:

The old age of Town facility buildings (Fire Department, Municipal Building, Water Precinct, Public Works) render them vulnerable to lightning, winter weather, downed trees resulting in power failure, and are a fire risk. The historic brick, 4-story Municipal Building (housing the Town Offices, Police Department and Library) is particularly vulnerable to lightning strikes and earthquakes.

Critical & Community Facility Vulnerability Assessment 2018

of Boscawen

Work Session 2

12/18/2017

Table
Utilities

Review & revise Facilities,
Ensure 911 Address and
Current Phone

Town to insert
Value \$ from
assessing
software

Facility Name	Street Address (911)	Phone	Structure Replacement Value	Primary Natural Hazard Vulnerabilities
PBWP Water Treatment Plant	Daniel Webster Hwy, behind Correctional Facility (49/17/1A)	796-2165	\$429,800	Flood, Wind, Storms, Wildfire, Winter, Earthquake, Sabotage
Communications Tower, 180' Lattice (Crown Atlantic Company LLC)	10 Robin Street	724-416-2000	\$150,000	Wind, Lightning, Wildfire, Winter, Sabotage
Communications Tower, 147' Monopole (Tower Resources Management LLC)	325 Daniel Webster Hwy (49/21/TWR)	781-407-4500	\$275,000	Wind, Lightning, Wildfire, Winter, Sabotage
TDS Switching Station	Exchange Bldg. 26 High Street		\$91,900	Scouring & Erosion, Lightning, Earthquake, Sabotage
PBWP Water Tank #1	Off Fairbanks Ave (47/6/1)	796-2206	\$279,400	Lightning, Earthquake, Sabotage
PBWP Water Tank #2	Off Daniel Webster Hwy behind County Home (49/21/AWA1)	796-2206	\$67,800	Lightning, Earthquake, Sabotage
PBWP Water Tanks #3 (2 tanks)	Off Queen Street (83/70)	796-2206	\$445,200	Lightning, Earthquake, Sabotage
Penacook Boscawen Water Precinct Wells (3)	Off Daniel Webster Hwy beyond Correctional Facility	N/A	\$0	Flood, Lightning, Earthquake, Sabotage
Briar Hydro Associates (Essex Hydro)	2 Commercial Street	753-6166	\$3,012,947	Flood, Ice Jam, Lightning, Drought, Earthquake, Sabotage
Liberty Utilities (Natural Gas)	Elementary School to City Line, up Queen Street a short distance	855-327-7758	\$566,100	Earthquake, Human (digging)
Eversource (Electric)	DW Highway and Corn Hill Road		\$47,141	Wind, Storms, Lightning, Wildfire, Winter
Unitil (Electric)	Road		\$6,101,900	Wind, Storms, Lightning, Wildfire, Winter
TDS Telecom Kearsarge (Landline)			\$0	Wind, Storms, Lightning, Wildfire, Winter
Fairpoint/Consolidated Communications (Landline)			\$0	Wind, Storms, Lightning, Wildfire, Winter
National Grid High Voltage Lines			\$0	Wind, Storms, Lightning, Wildfire, Winter
Dry Hydrant Walker Pond	Walker Pond	796-2206	\$5,000	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Earthquake, Sabotage
Dry Hydrant Hardy Lane	Hardy Lane	796-2206	\$5,000	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Earthquake, Sabotage
Dry Hydrant Elektrisola	Elektrisola	796-2206	\$5,000	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Earthquake, Sabotage
Dry Hydrant Water Street	Water Street (Town line)	796-2206	\$5,000	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Earthquake, Sabotage
Dry Hydrant Corn Hill Road	Corn Hill Road	796-2206	\$5,000	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Earthquake, Sabotage
Electric & Gas Utility Company Value provided by NHDRA 2017			\$0	
Total Facilities Structure Only Replacement Value			\$11,492,188	

Problem Statement: If any contamination was introduced into the water wells or water tanks, potential problems for human health can arise. The wells can connect to Concord.

CONTINUED

Problem Statement: The tanks provide storage and pressure, are not easy to flush, would be difficult and time consuming to reestablish potable supply.

Power lines regularly fail, community-wide, due to winter weather and lightning strikes. The Depot Street substation is especially vulnerable to damage caused by weather or pests.

Critical & Community Facility Vulnerability Assessment 2018

of Boscawen

Work Session 2

12/18/2017

Table

Dams

Facility Name	Dimensions & Acres Impounded	Significant Hazard		Low Hazard	
		NHDES Hazard Classification	Location	Estimated Average NH Dam Structure REPAIR Cost \$*	Primary Natural Hazard Vulnerabilities
D26.07 Penacook Lower Falls Dam	150' long, 17' high, 8.5 acres	Significant Hazard	Contoocook River	\$500,000	Flood, Ice Jams, Debris, Earthquake
D26.10 Flaggpole (Patenaude's) Pond Dam	480' long, 21' high, 67 acres	Low (L) Hazard	TR Contoocook River	\$500,000	Flood, Ice Jams, Debris, Earthquake
D26.13 Hirst Marsh Dam	90' long, 6' high, 30 acres	Low (L) Hazard	Hirst Marsh	\$500,000	Flood, Ice Jams, Debris, Earthquake
D26.14 Flaggpole (Patenaude's) Pond Dike	100' long, 15' high, 67 acres	Low (L) Hazard	TR Contoocook River	\$500,000	Flood, Ice Jams, Debris, Earthquake
D26.01 Walker Pond Dam	37.5' long, 5' high, 190 ares	Non-Menace (NM) Hazard	Pond Brook	\$500,000	Flood, Ice Jams, Debris, Earthquake
D26.11 McKerley Recreation Pond Dam	0' long, 10' high, 0.75 acres	Non-Menace (NM) Hazard	Natural Swale	\$500,000	Flood, Ice Jams, Debris, Earthquake
Hirst Marsh Beaver Dam	Queen Street	N/A	Hirst Marsh	N/A	Flood, Ice Jams, Earthquake
Town Forest Beaver Dam	Weir Road	N/A	Unnamed Stream	N/A	Flood, Ice Jams, Earthquake
Unnamed Stream Beaver Dam	Corn Hill Road	N/A	Tributary	N/A	Flood, Ice Jams, Earthquake
Source: NHDES Dam Hazard Classification GIS Database, Mar 2016; *American Society of Civil Engineers NH Infrastructure Report Card, 2011				\$0	
				\$3,000,000	Total Facilities Structure Estimated REPAIR Value

New beaver dams cause problems for the Town and should be inventoried; if breached, road washouts could occur on Corn Hill Road, North Water Street or Weir Road.

Problem Statement:

Problem Statement:

Problem Statement:

Table

Bridges

Redlist Bridges

Other Town Bridges

Facility Name	Location (Intersection)	NH DOT Municipal Redlist Classification NBI Ratings Provided for Redlisted	Phone	Structure REHABILITATION Value \$ Estimated from NHDOT Ten Year Plan 2019-2023	Annual Average Daily Traffic (Year)	Primary Natural Hazard Vulnerabilities* with National Bridge Inventory (NBI) Scour Critical Status
066/084 (Town)	Corn Hill Road over Pond Brook at Webster town line	Not Applicable/ Not Redlisted	753-9188	\$1,000,000	640 (2011)	NBI Scour Critical Rating: Stable for extreme flood. Flooding, Ice Jams, Debris
068/145 (State)	Long Street over Beaver Dam Brook at Webster town line	State Redlist 2017	271-3667	\$2,000,000	130 (2011)	NBI Scour Critical Rating: Stable for extreme flood. Flooding, Ice Jams, Debris
107/122 (State)	US 4 over Tannery Brook	Not Applicable/ Not Redlisted	271-3667	\$4,000,000	3,300 (2011)	NBI Scour Critical Rating: Stable for extreme flood. Flooding, Ice Jams, Debris
111/112 (Town)	Raymond Road over Tannery Brook	Not Applicable/ Not Redlisted	753-9188	\$1,000,000	60 (2013)	NBI Scour Critical Rating: Stable for extreme flood. Flooding, Ice Jams, Debris
111/117 (State)	US 4 over Tannery Brook	Not Applicable/ Not Redlisted	271-3667	\$4,000,000	3,300 (2011)	NBI Scour Critical Rating: Stable for extreme flood. Flooding, Ice Jams, Debris
116/108 (State)	US 4 over Tannery Brook	Not Applicable/ Not Redlisted	271-3667	\$4,000,000	6,200 (2012)	NBI Scour Critical Rating: Stable for extreme flood. Flooding, Ice Jams, Debris
126/099 (State)	US 3 over Tannery Brook	Not Applicable/ Not Redlisted	271-3667	\$4,000,000	5,000 (2012)	NBI Scour Critical Rating: Stable for extreme flood. Flooding, Ice Jams, Debris
131/035 (State)	Tremont Street over Contoocook River at Concord town line	Not Deficient/ Not Redlisted	271-3667	\$2,000,000	6,200 (2011)	NBI Scour Critical Rating: Stable for extreme flood. Flooding, Ice Jams, Debris
134/171 (State)	US 3 Stirrup Iron Brook	Not Applicable/ Not Redlisted	271-3667	\$4,000,000	5,000 (2012)	NBI Scour Critical Rating: Stable for extreme flood. Flooding, Ice Jams, Debris

Critical & Community Facility Vulnerability Assessment 2018

of Boscawren

Work Session 2

12/18/2017

139/040 (State)	US 4 over Commercial Street	Not Deficient/ Not Redlisted	271-3667	\$4,000,000	8,500 (2011)	NBI Scour Critical Rating: Not over waterway, Sabotage
142/038 (State)	US 4 over Merrimack River at Canterbury town line	Not Deficient/ Not Redlisted	271-3667	\$6,000,000	8,500 (2011)	NBI Scour Critical Rating: Stable for extreme flood. Erosion & Scouring, Sabotage
Sources: NHDOT GIS Bridges database, Feb 2016; NHDOT Bridges Summary, Mar 2015; Federal Highway Administration National Bridge Inventory (NBI), Scour Critical Bridges, NH Ten Year Plan 2019-20				\$0	Total Facilities Structure <i>Estimated</i> REHABILITATION Value	

Problem Statement: The Town's bridges are mostly vulnerable to human activities such as sabotage and vandalism, although potential flooding and scouring damage could also occur.

Problem Statement:

Problem Statement:

Table

Shelters, Schools and Medical Facilities

Facility Name	Street Address (911)	Phone	Structure Replacement Value \$	Primary Natural Hazard Vulnerabilities
VCA Riverside Veterinary Hospital [~xxx animal capacity]	201 North Main Street (818/52)	753-9834	\$307,000	Wind, Lightning, Wildfire, Winter, Public Health, Sabotage, Hostage
Town Hall Emergency Shelter with Kitchen Only (no generator) [~xxx capacity]	14 High Street (810/21)	796-2415	\$101,000	Flood, Wind, Lightning, Earthquake, Public Health, Sabotage, Human
Merrimack County Nursing Home [~290 beds, ~535 staff]	325 Daniel Webster Highway (49/20)	796-2165	\$30,838,200	Wind, Lightning, Winter, Earthquake, Hazardous Materials, Public Health, Human
Boscawren Elementary School [~248 students, ~35 staff]	1 BEST Avenue (818/46)	753-6411	\$4,145,700	Wind, Wildfire, Winter, Earthquake, Public Health, Evacuation
			\$0	
			\$35,391,900	Total Facilities Structure Only Replacement Value

Problem Statement:

Problem Statement:

The Town does not yet have an official Town Shelter with a generator. However, the MVSD is working with the Town to apply for funding in 2018 (EMPG & Impact fees) for an installed generator at the Boscawren Elementary School for the purpose of sheltering. One (1) portable generator is available for Town facility usage in emergencies.

BEGIN HERE at WORK SESSION 2 on 12-18

WE NEED TO FINISH THIS TODAY!

Table

Vulnerable Populations

Review & revise Facilities, Ensure 911 Address and Current Phone			Town to Insert Value \$ from assessing software		IDENTIFY 3-4 MAIN Natural Hazards each Facility could be susceptible to (not human or technological unless important)	
Facility Name	Street Address (911)	Phone	Structure Replacement Value \$	Primary Natural Hazard Vulnerabilities		
MCNH Adult Daycare [~xx capacity, ~xx staff]	325 Daniel Webster Highway (49/21)	796-2165	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage		
MCNH Gerrish Manor [~29 beds]			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage		
Merrimack County Correctional Facility [~246 beds, ~200 staff]	314 Daniel Webster Highway	796-2165	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage		
Baker & Birch Cooperative MHP (President) [~4 units]	Baker/ Birch Street (183B/27)	603.998.7769	\$237,800	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage		

Critical & Community Facility Vulnerability Assessment 2018 of Boscowen

Work Session 2

12/18/2017

Bill Bob Mobile Home Park (S Bailey) [~51 units]	14 Rosue Drive (79/94)	796-2815	\$887,100	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Boscowen Green Senior Apartments (Hillsboro Group) [~724 units]	135 North Main Street	669-8551	\$892,600	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Boscowen MH Park Realty (R Griggs/ S Revitsky) [~19 units]	354 Queen Street, Elizabeth Dr (818/30)	736-8252	\$257,200	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Concord Village Apartments (Hodges Prop. Mgmt.) [~19 units]	125 King Street (818/40)	224-9221	\$906,800	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Elizabeth HMP (?) [~xx units]	14 Elizabeth Drive		\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Fessenden Terrace (R Griggs/ S Revitsky) [~36 units]	9 Eddy Drive/ Berle/ Duston/ Fessenden Drive (818/34)	736-8252	\$722,500	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Forest Lane Housing Area [~xx homes]	Forest Lane	N/A	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Honey's MHP (K&R Laferriere) [~4 units]	27 Gage Street, Honey (1838/24)	753-9558	\$185,600	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Justin Drive MHP (T Komisarek, Manager) [~4 units]	Justin Drive (1830/40)	783-8345	\$154,100	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Kesavan MHP (T Lyons) [~7 units]	Kesavan	918-9101	\$146,600	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
King Street Commercial Area	105-254 King Street	N/A	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Norac Enterprises Commercial Property [~1 unit]	Tremont Street		\$133,100	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
One Riverside Way Condominiums [~38 homes]	Kayak Way & Shoreline Drive		\$1,997,200	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Oxbow MHP (D Minor) [~15 units]	Off Corn Hill Road, Oxbow (81D/62)	524-0348	\$167,600	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Red Oak Duplexes 3-Bedroom (Red Oak Prop. Mgmt.) [~5 units]	Red Oak Way	668-8282, 753-5824	\$1,239,400	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Riverbend/ Millhouse [~19 beds]	30 Tremont Street (183D/143)	753-1034	\$1,202,700	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Sherman MHP (S Witham) [~11 units]	Sherman Drive (183d/34)	783-9186	\$216,400	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Smith MHP [~8 units]	Boyce/Gage Street (183B/23)	603-344-1599	\$167,300	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Woodland Commons (Red Oak Prop. Mgmt. Geraldine Dupont) [~xx units]	180 North Main Street	668-8282, 753-5824	\$1,187,300	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Woody Hollow Co-op MHP (P Genest, President) [~32 units]	100 Elm Street/ Balsam/ Cedar/ Maple/ Spruce Street (83/88)	565-0779 home 219-1151 cell	\$408,300	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Childcare/Daycare?			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage

Critical & Community Facility Vulnerability Assessment 2018 of Boscawen

Work Session 2

12/18/2017

Senior Housing?			\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
			\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
			\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
			\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
			\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
			\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
			\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
see also Shelters, Schools and Medical Facilities Table			\$0
Total Facilities Structure Only Replacement Value			\$11,109,600

Identify at least 1-2 for each Table

Problem Statement:

Problem Statement:

Problem Statement:

Table

Economic Assets

Review & revise Facilities,
Ensure 911 Address and
Current Phone

Town to Insert
Value \$ from
assessing
software

IDENTIFY 3-4 MAIN Natural Hazards each Facility could be susceptible
to (not human or technological unless important)

Facility Name	Street Address (911)	Phone	Structure Replacement Value \$	Primary Natural Hazard Vulnerabilities
Tibo Lumber	112 High Street	796-2974	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Brigade Fire	112 High Street	796-2037	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Raymond Steenbeke Trust (Retail Rentals)	112 High Street	N/A	\$2,142,900	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Elektrisola	126 High Street	796-2114	\$4,963,200	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Dunkin Donuts	King Street		\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Citgo Station	29 North Main Street		\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
TK's	North Main Street		\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Busters	North Main Street		\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Castle Motors	North Main Street		\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage

Critical & Community Facility Vulnerability Assessment 2018 of Boscawen

Work Session 2

12/18/2017

Penacook Fibers	North Main Street		\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials. Public Health. Sabotage. Hostage
Colby Lumber Company	Merrill Corner Road		\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials. Public Health. Sabotage. Hostage
Boscawen Business Park	17-19 High Street	753-9188	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials. Public Health. Sabotage. Hostage
Colebrook Gravel	267 Queen Street	796-7046	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials. Public Health. Sabotage. Hostage
Crete's Farm (Highway View Farm)	100 River Road	796-2893	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials. Public Health. Sabotage. Hostage
Black Forest Nursery			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials. Public Health. Sabotage. Hostage
State Forest Nursery			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials. Public Health. Sabotage. Hostage
Restaurants?			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials. Public Health. Sabotage. Hostage
Professional Offices?			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials. Public Health. Sabotage. Hostage
Retail?			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials. Public Health. Sabotage. Hostage
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials. Public Health. Sabotage. Hostage
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials. Public Health. Sabotage. Hostage
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials. Public Health. Sabotage. Hostage
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials. Public Health. Sabotage. Hostage
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials. Public Health. Sabotage. Hostage
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials. Public Health. Sabotage. Hostage
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials. Public Health. Sabotage. Hostage
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials. Public Health. Sabotage. Hostage
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials. Public Health. Sabotage. Hostage
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials. Public Health. Sabotage. Hostage
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials. Public Health. Sabotage. Hostage
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials. Public Health. Sabotage. Hostage

Critical & Community Facility Vulnerability Assessment 2018

of Boscawen

Work Session 2

12/18/2017

			\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
			\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
			\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
			\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
			\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
see also Hazardous Materials Table			\$0
Total Facilities Structure Only Replacement Value			\$7,106,100

Identify at least 1-2 for each Table

Problem Statement:

Problem Statement:

Problem Statement:

Table
Hazardous Materials Facilities

Review & revise Facilities, Ensure 911 Address and		Town to Insert Value \$ from assessing software		IDENTIFY 3-4 MAIN Natural Hazards each Facility could be susceptible to (not human or technological unless important)	
Facility Name	Street Address (911)	Phone	Structure Replacement Value \$	Primary Natural Hazard Vulnerabilities	
Ross Express Trucking	195 North Main Street		753-4176	\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage	
Cumberland Farms	212 King Street		796-2488 800-225-9702	\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage	
KSD Wood Products	102 High Street		796-2951	\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage	
Sunoco Station	157 King Street			\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage	
Citgo Station	29 North Main Street			\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage	
Huckleberry Heating Oil Co., LLC	201 King Street – Office		796-2007	\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage	
Ross Express Trucking	195 North Main Street		753-4176	\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage	
Highway View Farm (Crete's Farm)	100 River Road		796-2893	\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage	
Allstate Asphalt Company	Depot Street			\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage	
Auto Garages?				\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage	
Construction?				\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage	

of Boscauwen

[illegible]

Critical & Community Facility Vulnerability Assessment 2018 of Boscawen

Work Session 2

12/18/2017

				\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
see also Economic Assets Table				\$0
\$0 Total Facilities Structure Only Replacement Value				

Identify at least 1-2 for each Table

Problem Statement:

Problem Statement:

Table

Cemeteries and Churches

Facility Name	Street Address (911)	Phone	Town to Insert Value \$ from assessing software	Structure Replacement Value \$	Primary Natural Hazard Vulnerabilities
Boscawen Congregational Church	12 High Street			796-2565	\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris
Sovereign Grace Fellowship	235 High Street			796-2607	\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris
Maplewood Cemetery	Water Street / Knowlton Road			753-9188	\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris
McClure Cemetery	High Street			753-9188	\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris
NH Veteran's Cemetery	110 Daniel Webster Highway			796-2026	\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris
Pine Grove Cemetery	Corn Hill Road			753-9188	\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris
Plain's Cemetery	King Street			753-9188	\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris
					\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris
					\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris
					\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris
					\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris
					\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris
\$0 Total Facilities Structure Only Replacement Value					

Identify at least 1-2 for each Table

Problem Statement:

Problem Statement:

Problem Statement:

Table

Historic Sites and Buildings

Facility Name	Street Address (911)	Phone	Town to Insert Value \$ from assessing software	Structure Replacement Value \$	Primary Natural Hazard Vulnerabilities
Boscawen Historical Society Bldg (S Smith, Chairperson)	226 King Street / PO Box 3069, Boscawen, NH 03303			796-2001	\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris

Critical & Community Facility Vulnerability Assessment 2018 of Boscawen

Work Session 2

12/18/2017

Historical Library	248 King Street		\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris
Torment Building	116 North Main Street		\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris
Boscawen Post Office, formerly "MUCHIDO" Fire Station	228 King Street	796-2300	\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris
			\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris
			\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris
			\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris
			\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris
			\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
			\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
			\$0 Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
			\$0
			\$0
			\$0 Total Facilities Structure Only Replacement Value

Identify at least 1-2 for each Table

Problem Statement:

Problem Statement:

Table
Recreational and Gathering Sites

Review & revise Facilities,
Ensure 911 Address and
Current Phone

Town to insert
Value \$ from
assessing
software

IDENTIFY 3-4 MAIN Natural Hazards each Facility could be susceptible
to (not human or technological unless important)

Facility Name	Street Address (911)	Phone	Structure Replacement Value \$	Primary Natural Hazard Vulnerabilities
Merrimack County Boat Launching Site	Daniel Webster Highway		\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Cabot Memorial Field	Lincoln Terrace		\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Jamie Welch Memorial Field	Depot Street		\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Boscawen Town Forest	Weir Road		\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Hannah Dustin Memorial	Adjacent to Park & Ride Rte 3/4		\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Campgrounds?			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Town Parks?			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
Sportsclubs?			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage

Work Session 2

12/18/2017

				\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
				\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
				\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
				\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
<i>see also Vulnerable Populations Table</i>				\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage, Hostage
				\$0	Total Facilities Structure Only Replacement Value

Identify at least 1-2 for each Table

Problem Statement:

Problem Statement:

Table

Future Development

Future Development					Town to insert Value \$ from assessing software		IDENTIFY 3-4 MAIN Natural Hazards each Facility could be susceptible to (not human or technological unless important)	
Opportunity Name	Location	Type of Facility	LAND Only Value \$ <i>As Applicable</i>	Primary Natural Hazard Vulnerabilities				
Potential or Approved Planning Board Developments								
California Fields	Crescent Street, Map 183C Lot 62, 62-2, 62-3, 61-4 & 62-5	Condo Townhouses (38). Final Approval 3/21/2008	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris				
		Up to 54 single-family homes	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris				
Oak Lawn Development			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris				
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris				
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris				
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris				
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris				
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris				
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris				
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris				
Large Lots with Development Potential (Legacy Parcels)								
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris				
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris				
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris				
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris				
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris				
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris				
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris				
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris				
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris				
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris				
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris				
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris				

Work Session 2

12/18/2017

Identify at least 1-2 for each Table
Problem or Opportunity:
Problem or Opportunity:
Problem or Opportunity:

- ❖ FLOOD [Floods and Flash Floods, Rapid Snow Pack Melt]
- ❖ ICE JAM [River Ice Jams]
- ❖ SCOURING, EROSION [Riverine Scouring, Erosion, Channel Movement]
- ❖ WIND [Tornadoes, Downbursts, Hurricanes and Tropical Storms]
- ❖ STORMS [Severe Winds, Rain Storms and Thunder Storms]
- ❖ LIGHTNING
- ❖ WILDFIRE
- ❖ WINTER [Severe Winter Weather and Ice Storms]
- ❖ DROUGHT
- ❖ HEAT [Excessive Heat]
- ❖ EARTHQUAKE
- ❖ LANDSLIDE
- ❖ Dam Failure* or DEBRIS [Debris Impacted Infrastructure]*

- ❖ **HAZARDOUS MATERIALS**
- ❖ **PUBLIC HEALTH**
- ❖ **SABOTAGE, VANDALISM, CIVIL DISTURBANCE, HOSTAGE**

Goal: List each Critical or Vulnerable Facility in only 1 Table, choose the most Table applicable for the Facility. Each Facility will be placed on Map 3 Critical Facilities with HMC help.